

References

- [1] Jae-Wook Ahn, Catherine Plaisant, and Ben Shneiderman. “A task taxonomy for network evolution analysis”. *IEEE TVCG*, 20(3), pages 365–376, 2014. doi:10.1109/TVCG.2013.238.
- [2] Wolfgang Aigner, Silvia Miksch, Heidrun Schumann, and Christian Tominski. *Visualization of Time-Oriented Data*. Springer, 2011. doi:10.1007/978-0-85729-079-3.
- [3] James L. Alty and Roger P. Knott. “Metaphor and human-computer interaction: A model based approach”. In Chrystopher Nehaniv, editor, “Computation for Metaphors, Analogy, and Agents”, *Lecture Notes in Computer Science*, volume 1562, pages 307–321. Springer, 1999. doi:10.1007/3-540-48834-0_17.
- [4] Saskia Bakker, Alissa Antle, and Elise Van Den Hoven. “Embodied metaphors in tangible interaction design”. *Personal Ubiquitous Computing*, 16(4), pages 433–449, 2012. doi:10.1007/s00779-011-0410-4.
- [5] Dominikus Baur, Sebastian Boring, and Andreas Butz. “Rush: Repeated recommendations on mobile devices”. In “Proc. IUI’10”, pages 91–100. ACM, 2010. doi:10.1145/1719970.1719984.
- [6] Dominikus Baur, Sebastian Boring, and Steven Feiner. “Virtual projection: Exploring optical projection as a metaphor for multi-device interaction”. In “Proc. CHI’12”, pages 1693–1702. ACM, 2012. doi:10.1145/2207676.2208297.
- [7] Dominikus Baur, Bongshin Lee, and Sheelagh Carpendale. “Touch-Wave: Kinetic multi-touch manipulation for hierarchical stacked graphs”. In “Proc. ITS’12”, pages 255–264. ACM, 2012. doi:10.1145/2396636.2396675.
- [8] Dominikus Baur, Frederik Seiffert, Michael Sedlmair, and Sebastian Boring. “The streams of our lives: Visualizing listening histories in context”. *IEEE TVCG*, 16(6), pages 1119–1128, 2010. doi:10.1109/TVCG.2010.206.
- [9] Michel Beaudouin-Lafon. “Instrumental interaction: an interaction model for designing post-WIMP user interfaces”. In “Proc. CHI’00”, pages 446–453. ACM, 2000. doi:10.1145/332040.332473.

- [10] Michel Beaudouin-Lafon. “Designing interaction, not interfaces”. In “Proc. AVI’04”, pages 15–22. 2004. doi:10.1145/989863.989865.
- [11] Michel Beaudouin-Lafon. “Interaction is the future of computing”. In Thomas Erickson and David McDonald, editors, “HCI Remixed, Reflections on Works That Have Influenced the HCI Community”, pages 263–266. MIT Press, 2008.
- [12] Richard A. Becker, William S. Cleveland, and Allan R. Wilks. “Dynamic graphics for data analysis”. *Statistical Science*, 2(4), pages 355–383, 1987.
- [13] Jacques Bertin. *Graphics and Graphic Information Processing*. Walter de Gruyter, 1981. ISBN 3110088681. doi:10.1515/9783110854688.
- [14] Nigel Bevan. “International standards for HCI and usability”. *International Journal of Human-Computer Studies*, 55(4), pages 533–552, 2001. doi:10.1006/ijhc.2001.0483.
- [15] Eric Bier. “Snap-dragging in three dimensions”. *ACM SIGGRAPH Computer Graphics*, 24(2), pages 193–204, 1990. doi:10.1145/91394.91446.
- [16] Eric Bier, Maureen Stone, Ken Pier, William Buxton, and Tony DeRose. “Toolglass and magic lenses: The see-through interface”. In “Proc. SIGGRAPH’93”, pages 73–80. ACM, 1993. doi:10.1145/166117.166126.
- [17] Sebastian Boring and Dominikus Baur. “Making public displays interactive everywhere”. *IEEE CG&A*, 33(2), pages 28–36, 2013. doi:10.1109/MCG.2012.127.
- [18] Matthew Brehmer and Tamara Munzner. “A multi-level typology of abstract visualization tasks”. *IEEE TVCG*, 19(12), pages 2376–2385, 2013. doi:10.1109/TVCG.2013.124.
- [19] Sebastian Bremm, Tatiana von Landesberger, Gennady Andrienko, and Natalia Andrienko. “Interactive analysis of object group changes over time”. In “Proc. EuroVA’11”, pages 41–44. 2011. doi:10.2312/PE/EuroVAST/EuroVA11/041-044.
- [20] Sebastian Bremm, Tatiana von Landesberger, Martin Heß, Tobias Schreck, Philipp Weil, and Kay Hamacher. “Interactive visual comparison of multiple trees”. In “Proc. VAST’11”, pages 31–40. 2011. doi:10.1109/VAST.2011.6102439.

- [21] Vannevar Bush. “As we may think”. *Atlantic Monthly*, 176(1), pages 101–108, 1945.
- [22] Stuart Card, Jock Mackinlay, and George Robertson. “A morphological analysis of the design space of input devices”. *ACM Trans. on Information Systems*, 9(2), pages 99–122, 1991. doi:10.1145/123078.128726.
- [23] Sye-Min Chan, Ling Xiao, John Gerth, and Pat Hanrahan. “Maintaining interactivity while exploring massive time series”. In “Proc. VAST’08”, pages 59–66. IEEE, 2008. doi:10.1109/VAST.2008.4677357.
- [24] Jaegul Choo, Changhyun Lee, and Haesun Park. “PIVE: A per-iteration visualization environment for supporting real-time interactions with computational methods”. Technical Report GT-CSE-13-06, Georgia Institute of Technology, 2013.
- [25] James Coplien and Trygve Reenskaug. “The data, context and interaction paradigm”. In “Proc. SPLASH’12”, pages 227–228. ACM, 2012. doi:10.1145/2384716.2384782.
- [26] Paula Cowley, Jereme Haack, Rik Littlefield, and Ernest Hampson. “Glass box: capturing, archiving, and retrieving workstation activities”. In “Proc. CARPE’06”, pages 13–18. ACM, 2006. doi:10.1145/1178657.1178662.
- [27] Paula Cowley, Lucy Nowell, and Jean Scholtz. “Glass box: An instrumented infrastructure for supporting human interaction with information”. In “Proc. HICSS’05”, page 296c. IEEE, 2005. doi:10.1109/HICSS.2005.286.
- [28] G. de Haan, G. van der Veer, and J. van Vliet. “Formal modelling techniques in human-computer interaction”. *Acta Psychologica*, 78(1-3), pages 27–67, 1991. doi:10.1016/0001-6918(91)90004-J.
- [29] Sarah Diefenbach, Eva Lenz, and Marc Hassenzahl. “An interaction vocabulary. Describing the How of interaction”. In “Extended abstracts of CHI’13”, pages 607–612. ACM, 2013. doi:10.1145/2468356.2468463.
- [30] Alan Dix and Geoffrey Ellis. “Starting simple: adding value to static visualisation through simple interaction”. In “Proc. AVI’98”, pages 124–134. ACM, 1998. doi:10.1145/948496.948514.
- [31] Alan Dix, Janet E. Finlay, Gregory D. Abowd, and Russell Beale. *Human-computer interaction*. 3rd edition. Prentice Hall, 2004.

- [32] Steven M Drucker, Danyel Fisher, Ramik Sadana, Jessica Herron, and M.c. Schraefel. “TouchViz : A case study comparing two interfaces for data analytics on tablets”. In “Proc. CHI’13”, ACM, 2013. doi:10.1145/2470654.2481318.
- [33] Niklas Elmqvist, Andrew Vande Moere, Hans-Christian Jetter, Daniel Cernea, Harald Reiterer, and TJ Jankun-Kelly. “Fluid interaction for information visualization”. *Information Visualization*, 10(4), pages 327–340, 2011. doi:10.1177/1473871611413180.
- [34] George W. Furnas, Thomas K. Landauer, Louis M. Gomez, and Susan T. Dumais. “The vocabulary problem in human-system communication”. *Comm. of the ACM*, 30(11), pages 964–971, 1987. doi:10.1145/32206.32212.
- [35] Jose Daniel Garcia, Jesus Carretero, Jose Maria Perez, Felix Garcia, and Rosa Filgueira. “Specifying use case behavior with interaction models”. *The Journal of Object Technology*, 2(2), 2003.
- [36] Jawaid Ghani and Satish Deshpande. “Task characteristics and the experience of optimal flow in humancomputer interaction”. *The Journal of Psychology*, 128(4), pages 381–391, 1994. doi:10.1080/00223980.1994.9712742.
- [37] David Gotz and Michelle Zhou. “Characterizing users’ visual analytic activity for insight provenance”. *Information Visualization*, 8(1), pages 42–55, 2009. doi:10.1057/ivs.2008.31.
- [38] Mark Hancock, Otmar Hilliges, Christopher Collins, Dominikus Baur, and Sheelagh Carpendale. “Exploring tangible and direct touch interfaces for manipulating 2D and 3D information on a digital table”. In “Proc. ITS’09”, pages 77–84. ACM, 2009. doi:10.1145/1731903.1731921.
- [39] H. Rex Hartson, Antonio C. Siochi, and Deborah Hix. “The UAN: A user-oriented representation for direct manipulation interface designs”. *ACM Trans. on Information Systems*, 8(3), pages 181–203, 1990. doi:10.1145/98188.98191.
- [40] Jeffrey Michael Heer, Jock Mackinlay, Chris Stolte, and Maneesh Agrawala. “Graphical histories for visualization: Supporting analysis, communication, and evaluation”. *IEEE TVCG*, 14(6), pages 1189–1196, 2008. doi:10.1109/TVCG.2008.137.

- [41] Simon Holland and Daniel Oppenheim. “Direct combination”. In “Proc. CHI’99”, pages 262–269. ACM, 1999. doi:10.1145/302979.303057.
- [42] Jörn Hurtienne and Lucienne Blessing. “Metaphors as tools for intuitive interaction with technology”. *metaphorik.de*, 12, pages 21–52, 2007.
- [43] Petra Isenberg, Niklas Elmqvist, Jean Scholtz, Daniel Cernea, Kwan-Liu Ma, and Hans Hagen. “Collaborative visualization: Definition, challenges, and research agenda”. *Information Visualization*, 10(4), pages 310–326, 2011. doi:10.1177/1473871611412817.
- [44] Bret Jackson, Tung Yuen Lau, David Schroeder, Kimani C. Toussaint, and Daniel F. Keefe. “A lightweight tangible 3D interface for interactive visualization of thin fiber structures”. *IEEE TVCG*, 19(12), pages 2802–2809, 2013. doi:10.1109/TVCG.2013.121.
- [45] Yvonne Jansen and Pierre Dragicevic. “An interaction model for visualizations beyond the desktop”. *IEEE TVCG*, 19(12), pages 2396–2405, 2013. doi:10.1109/TVCG.2013.134.
- [46] Yvonne Jansen, Pierre Dragicevic, and Jean-Daniel Fekete. “Evaluating the efficiency of physical visualizations”. In “Proc. CHI’13”, pages 2593–2602. ACM, 2013. doi:10.1145/2470654.2481359.
- [47] Daniel A Keim. “Information visualization and visual data mining”. *IEEE TVCG*, 8(1), pages 1–8, 2002. doi:10.1109/2945.981847.
- [48] Artjom Kochtchi, Chris Biemann, and Tatiana von Landesberger. “Networks of names: Visual exploration and semi-automatic tagging of social networks from newspaper articles”. *Computer Graphics Forum*, 33(3), pages 211–220, 2014. doi:10.1111/cgf.12377.
- [49] Robert Kosara, Helwig Hauser, and Donna L. Gresh. “An interaction view on information visualization”. *State-of-the-Art Report. Proceedings of EUROGRAPHICS*, 2003.
- [50] Glenn Krasner and Stephen Pope. “A cookbook for using the model-view controller user interface paradigm in Smalltalk-80”. *Journal of OOP*, 1(3), pages 26–49, 1988.
- [51] Matthias Kreuzeler, Thomas Nocke, and Heidrun Schumann. “A history mechanism for visual data mining”. In “Proc. InfoVis’04”, pages 49–56. IEEE, 2004. doi:10.1109/INFVIS.2004.2.

- [52] George Lakoff and Mark Johnson. *Metaphors we live by*. University of Chicago press, 2008.
- [53] Heidi Lam. “A framework of interaction costs in information visualization”. *IEEE TVCG*, 14(6), pages 1149–1156, 2008. doi:10.1109/TVCG.2008.109.
- [54] Bongshin Lee, Catherine Plaisant, Cynthia Parr, Jean-Daniel Fekete, and Nathalie Henry. “Task taxonomy for graph visualization”. In “Proc. BELIV’06”, pages 1–5. ACM, 2006. doi:10.1145/1168149.1168168.
- [55] Aaron Marcus. “Managing metaphors for advanced user interfaces”. In “Proc. AVI’94”, pages 12–18. ACM, 1994. doi:10.1145/192309.192317.
- [56] Aaron Marcus. “Metaphors and user interfaces in the 21st century”. *Interactions*, 9(2), pages 7–10, 2002. doi:10.1145/505103.505107.
- [57] Daniel McFarlane and Kara Latorella. “The scope and importance of human interruption in human-computer interaction design”. *Human-Computer Interaction*, 17(1), pages 1–61, 2002. doi:10.1207/S15327051HCI1701_1.
- [58] Donald A. Norman. *The Design of Everyday Things*. Basic Books, 1988.
- [59] David G. Novick and Stephen Sutton. “What is mixed-initiative interaction?” Technical Report SS-97-04, Association for the Advancement of Artificial Intelligence, 1997.
- [60] Zeljko Obrenovic and Dusan Starcevic. “Modeling multimodal human-computer interaction”. *IEEE Computer*, 37(9), pages 65–72, 2004. doi:10.1109/MC.2004.139.
- [61] Paul Parsons and Kamran Sedig. “Adjustable properties of visual representations: Improving the quality of human-information interaction”. *Journal of the Association for Information Science and Technology*, 65(3), pages 455–482, 2014. doi:10.1002/asi.23002.
- [62] Maja Pesic, Helen Schonenberg, and Wil M. P. van der Aalst. “DECLARE: Full support for loosely-structured processes”. In “Proc. EDOC’07”, page 287. 2007. doi:10.1109/EDOC.2007.14.

- [63] William Pike, John Stasko, Remco Chang, and Theresa O’Connell. “The science of interaction”. *Information Visualization*, 8(4), pages 263–274, 2009. doi:10.1057/ivs.2009.22.
- [64] Harald Piringer, Christian Tominski, Philipp Muigg, and Wolfgang Berger. “A multi-threading architecture to support interactive visual exploration”. *IEEE TVCG*, 15(6), pages 1113–1120, 2009. doi:10.1109/TVCG.2009.110.
- [65] Axel Radloff, Anke Lehmann, Oliver Staadt, and Heidrun Schumann. “Smart interaction management: An interaction approach for smart meeting rooms”. In “Proc. IE’12”, pages 228–235. IEEE, 2012. doi:10.1109/IE.2012.34.
- [66] Gonzalo Ramos, Andy Cockburn, Ravin Balakrishnan, and Michel Beaudouin-Lafon. “Pointing lenses: Facilitating stylus input through visual- and motor-space magnification”. In “Proc. CHI’07”, pages 757–766. ACM, 2007. doi:10.1145/1240624.1240741.
- [67] Trygve Reenskaug and James Coplien. “The DCI architecture: A new vision of object-oriented programming”. artima developer, 2009.
- [68] Trygve Reenskaug, Per Wold, and Odd Arild Lehne. *Working with objects: The OOram Software Engineering Method*. Manning/Prentice Hall, 1996.
- [69] Lei Ren, Jin Cui, Yi Du, and Guozhong Dai. “Multilevel interaction model for hierarchical tasks in information visualization”. In “Proc. VINCI’13”, pages 11–16. ACM, 2013. doi:10.1145/2493102.2493104.
- [70] Robert Roth. “An empirically-derived taxonomy of interaction primitives for interactive cartography and geovisualization”. *IEEE TVCG*, 19(12), pages 2356–2365, 2013. doi:10.1109/TVCG.2013.130.
- [71] Ramik Sadana and John Stasko. “Designing and implementing an interactive scatterplot visualization for a tablet computer”. In “Proc. AVI’14”, pages 265–272. ACM, 2014. doi:10.1145/2598153.2598163.
- [72] Dan Saffer. *Designing for Interaction: Creating Innovative Applications and Devices*. 2nd edition. New Riders, 2010.
- [73] Hans-Jörg Schulz, Zabedul Akbar, and Frank Maurer. “A generative layout approach for rooted tree drawings”. In “Proc. PacificVis’13”, pages 225–232. IEEE, 2013. doi:10.1109/PacificVis.2013.6596149.

- [74] Hans-Jörg Schulz, Steffen Hadlak, and Heidrun Schumann. “The design space of implicit hierarchy visualization: A survey”. *IEEE TVCG*, 17(4), pages 393–411, 2011. doi:10.1109/TVCG.2010.79.
- [75] Hans-Jörg Schulz, Thomas Nocke, Magnus Heitzler, and Heidrun Schumann. “A design space of visualization tasks”. *IEEE TVCG*, 19(12), pages 2366–2375, 2013. doi:10.1109/TVCG.2013.120.
- [76] Hans-Jörg Schulz, Marc Streit, Thorsten May, and Christian Tominski. “Towards a characterization of guidance in visualization”. In “Poster at IEEE VIS”, 2013.
- [77] Adriano Scoditti, Renaud Blanch, and Joëlle Coutaz. “A novel taxonomy for gestural interaction techniques based on accelerometers”. In “Proc. IUI’11”, pages 63–72. ACM, 2011. doi:10.1145/1943403.1943414.
- [78] Kamran Sedig and Paul Parsons. “Interaction design for complex cognitive activities with visual representations: A pattern-based approach”. *Trans. on HCI*, 5(2), pages 84–133, 2013.
- [79] Kamran Sedig, Paul Parsons, and Alex Babanski. “Towards a characterization of interactivity in visual analytics”. *Journal of Multimedia Processing and Technologies*, 3(1), pages 12–28, 2012.
- [80] Ben Shneiderman. “The future of interactive systems and the emergence of direct manipulation”. *Behaviour & Information Technology*, 1(3), pages 237–256, 1982. doi:10.1080/01449298208914450.
- [81] Ben Shneiderman. “The eyes have it: A task by data type taxonomy for information visualizations”. In “Proc. VL’96”, pages 336–343. IEEE, 1996. doi:10.1109/VL.1996.545307.
- [82] Simon Shum and Nick Hammond. “Transferring HCI modelling and design techniques to practitioners: A framework and empirical work”. In “Proc. HCI’94”, pages 21–36. Cambridge University Press, 1994.
- [83] Antonio C. Siochi, H. Rex Hartson, and Deborah Hix. “Notational techniques for accommodating user intention shifts”. Technical Report TR-90-18, Virginia Polytechnic Institute and State University, 1990.
- [84] Hannah Slay, Bruce Thomas, and Rudi Vernik. “An interaction model for universal interaction and control in multi display environments”. In “Proc. ISICT’03”, pages 220–225. Trinity College Dublin, 2003.

- [85] Martin Spindler, Christian Tominski, Heidrun Schumann, and Raimund Dachsel. “Tangible views for information visualization”. In “Proc. ITS’10”, pages 157–166. ACM, 2010. doi:10.1145/1936652.1936684.
- [86] Charles D. Stolper, Adam Perer, and David Gotz. “Progressive visual analytics: User-driven visual exploration of in-progress analytics”. *IEEE TVCG*, 20(12), pages 1653–1662, 2014. doi:10.1109/TVCG.2014.2346574.
- [87] Marc Streit, Hans-Jörg Schulz, Alexander Lex, Dieter Schmalstieg, and Heidrun Schumann. “Model-driven design for the visual analysis of heterogeneous data”. *IEEE TVCG*, 18(6), pages 998–1010, 2012. doi:10.1109/TVCG.2011.108.
- [88] Marc Streit, Hans-Jörg Schulz, Dieter Schmalstieg, and Heidrun Schumann. “Towards multiuser multilevel interaction”. In Petra Isenberg, Michael Sedlmair, Dominikus Baur, Tobias Isenberg, and Andreas Butz, editors, “Proc. CoVIS’09”, pages 5–8. LMU München, 2009.
- [89] Nicole Sultanum, Sowmya Somanath, Ehud Sharlin, and Mario Costa Sousa. “Point it, split it, peel it, view it: techniques for interactive reservoir visualization on tabletops”. In “Proc. ITS’11”, pages 192–201. ACM, 2011. doi:10.1145/2076354.2076390.
- [90] Ivan Edward Sutherland. “Sketchpad: A man-machine graphical communication system”. Technical Report UCAM-CL-TR-574, University of Cambridge, 2003.
- [91] Egemen Tanin, Richard Beigel, and Ben Shneiderman. “Incremental data structures and algorithms for dynamic query interfaces”. *ACM SIGMOD Record*, 25(4), pages 21–24, 1996. doi:10.1145/245882.245891.
- [92] James J. Thomas and Kristin A. Cook. *Illuminating the Path*. IEEE, 2005.
- [93] Alice Thudt, Dominikus Baur, and Sheelagh Carpendale. “Visits: A spatiotemporal visualization of location histories”. In “EuroVis’13 Short Papers”, pages 79–83. Eurographics, 2013. doi:10.2312/PE.EuroVisShort.EuroVisShort2013.079-083.

- [94] Roger Took. “Surface interaction: A paradigm and model for separating application and interface”. In “Proc. CHI’90”, pages 35–42. ACM, 1990. doi:10.1145/97243.97249.
- [95] Wil M. P. van der Aalst, Maja Pesic, and Helen Schonenberg. “Declarative workflows: Balancing between flexibility and support”. *Computer Science – Research and Development*, 23(2), pages 99–113, 2009. doi:10.1007/s00450-009-0057-9.
- [96] Tatiana von Landesberger, Gennady Andrienko, Natalia Andrienko, Sebastian Bremm, Matthias Kirschner, Stefan Wesarg, and Arjan Kuijper. “Opening up the black box of medical image segmentation with statistical shape models”. *The Visual Computer*, 29(9), pages 893–905, 2013. doi:10.1007/s00371-013-0852-y.
- [97] Tatiana von Landesberger, Sebastian Fiebig, Sebastian Bremm, Arjan Kuijper, and Dieter Fellner. “Interaction taxonomy for tracking of user actions in visual analytics applications”. In Weidong Huang, editor, “Handbook of Human Centric Visualization”, pages 149–166. Springer, 2013. doi:10.1007/978-1-4614-7485-2_26.
- [98] Tatiana von Landesberger, Melanie Görner, Robert Rehner, and Tobias Schreck. “A system for interactive visual analysis of large graphs using motifs in graph editing and aggregation”. In “Proc. VMV’09”, pages 331–339. 2009.
- [99] Manuela Waldner, Alexander Lex, Marc Streit, and Dieter Schmalstieg. “Design considerations for collaborative information workspaces in multi-display environments”. In Petra Isenberg, Michael Sedlmair, Dominikus Baur, Tobias Isenberg, and Andreas Butz, editors, “Proc. CoVIS’09”, pages 36–39. LMU München, 2009.
- [100] Colin Ware. *Information visualization: Perception for design*. 3rd edition. Elsevier, 2013.
- [101] Peter Wegner. “Why interaction is more powerful than algorithms”. *Comm. of the ACM*, 40(5), pages 80–91, 1997. doi:10.1145/253769.253801.
- [102] Leland Wilkinson. *The grammar of graphics*. 2nd edition. Springer, 2006. doi:10.1007/0-387-28695-0.
- [103] Graham Wills. “Selection: 524,288 ways to say “This is interesting””. In Nahum D. Gershon, Stuart Card, and Stephen G. Eick, editors,

- “Proc. InfoVis’96”, pages 54–60. IEEE, 1996. doi:10.1109/INFVIS.1996.559216.
- [104] Michael Wybrow, Niklas Elmqvist, Jean-Daniel Fekete, Tatiana von Landesberger, Jarke van Wijk, and Björn Zimmer. “Interaction in the visualization of multivariate networks”. In Andreas Kerren, Helen Purchase, and Matthew Ward, editors, “Multivariate Network Visualization”, *Lecture Notes in Computer Science*, volume 8380, pages 97–125. Springer, 2014. doi:10.1007/978-3-319-06793-3_6.
- [105] Ji Soo Yi, Youn ah Kang, John Stasko, and Julie Jacko. “Toward a deeper understanding of the role of interaction in information visualization”. *IEEE TVCG*, 13(6), pages 1224–1231, 2007. doi:10.1109/TVCG.2007.70515.
- [106] Michelle Zhou and Steven Feiner. “Data characterization for automatically visualizing heterogeneous information”. In “Proc. InfoVis’96”, pages 13–20. IEEE, 1996. doi:10.1109/INFVIS.1996.559211.
- [107] Michelle X. Zhou and Steven K. Feiner. “Visual task characterization for automated visual discourse synthesis”. In “Proc. CHI’98”, pages 392–399. ACM/Addison-Wesley, 1998. doi:10.1145/274644.274698.